



# CATALOGUE

---

Resellers:  
S.A.S 3D SPARK PVT. LTD.

#328, Third Main, Domlur Layout,  
BENGALURU - 560071, INDIA  
+91-9008006149 / 9591848886

*sales@sas3dspark.com*  
*sehgal@sas3dspark.com*



# SLS-3

## Structured Light 3D Scanning System

**Part No:** 79012874  
**Order No:** DAVID-SLS-3  
**EAN:** 4260129049267



### Technical specification

- Scansize: 60–500 mm
- Resolution/Precision: Up to 0,05% of scan size (up to 0,05 mm)
- Scanning time: One single scan within a few seconds
- Mesh density: Up to 2,300,000 vertices per scan
- Export formats: OBJ, STL, PLY

### System requirements

- Standard-PC (32/64 bit - Windows Vista, 7, 8, 10)
- 3D graphics adapter
- Available VGA or HDMI port
- Two available USB ports
- Recommended: Dual-core processor, 64bit, 2 GHz, 4 GB RAM, NVIDIA or AMD graphics processor

### Contents of package

- Industrial camera with high quality lens
- Video projector with special lens for large focal range, including remote control
- USB drive with DAVID PRO software
- Sliding rail (aluminium)
- Camera slider
- High quality tripod
- Calibration panels printed on both sides for multiple scan volumes
- Printed instructions
- All required connecting cables
- Adapters for power supply in over 150 countries
- Cable straps

### Delivery terms

Package size	Qty	Weight
630x340x230 mm	1pc	9kg
Palett		
1200x800 mm	25pcs	247kg

# SLS-2

## Structured Light 3D Scanning System

**Part No:** 79012126  
**Order No:** DAVID-SLS-2  
**EAN:** 4260129049168



### Technical specification

- Scansize: 60–500 mm
- Resolution/Precision: Up to 0,1% of scan size (up to 0,06 mm)
- Scanning time: One single scan within a few seconds
- Mesh density: Up to 1,200,000 vertices per scan
- Export formats: OBJ, STL, PLY

### System requirements

- Standard-PC (32/64 bit - Windows Vista, 7, 8, 10)
- 3D graphics adapter
- Available VGA or HDMI port
- Two available USB ports
- Recommended: Dual-core processor, 64bit, 2 GHz, 4 GB RAM, NVIDIA or AMD graphics processor

### Contents of package

- Industrial camera with high quality lens
- Video projector with special lens for large focal range, including remote control
- USB drive with DAVID PRO software
- Sliding rail (aluminium)
- Camera slider
- High quality tripod
- Calibration panels printed on both sides for multiple scan volumes
- Printed instructions
- All required connecting cables
- Adapters for power supply in over 150 countries
- Cable straps

### Delivery terms

Package size	Qty	Weight
630x340x230 mm	1 pc	9kg
Palett		
1200x800 mm	25pcs	247kg

# STARTER-KIT-2

Laserscanner

**Part No:** 79011662  
**Order No:** STARTER-KIT-2  
**EAN:** 4260129049137



## Technical specification

- Scansize: 10–300 mm
- Resolution/Precision: Up to 0,2 mm
- Scanning time: 10–60 sec
- Mesh density: Up to 1,000,000 vertices per scan
- Export formats: OBJ, STL, PLY

## System requirements

- Standard-PC (32/64 bit - Windows XP, Vista, 7, 8)
- 3D graphics adapter
- Two available USB ports
- Recommended: Dual-core processor, 2 GHz, 4 GB RAM, NVIDIA or AMD graphics processor

## Contents of package

- Lever
- DAVID 3D SCANNER PRO software on USB Flash Drive
- High-resolution 2-megapixel webcam (Full HD) with autofocus
- Stand for webcam
- Red line laser module (650nm, Class 1 laser) with adjustable focus, including battery
- Calibration panels (for object sizes up to 40 cm)
- Base plate for mounting the calibration panels
- Three right angles for fixing the calibration panels

## Delivery terms

Package size	Qty	Weight
440x328x86 mm	1pc	2,86kg
Palett		
1200x800 mm	75pcs	236,5kg



# TT-1

## Automatic Turntable



### Technical specification

- Operating voltage: 12V
- Operating current: 1000mA
- Supply voltage: 230V
- Dimensions: Ø180x50 mm
- TT-1 Weight: 1,6kg
- Object weight: Up to 5kg
- Material: Aluminium
- Housing potential: Isolated
- CE-Conformity: Yes
- RoHS: Yes
- Reach : Yes

### System requirements

- DAVID 3D SCANNER PRO 4 or ENTERPRISE/SDK
- Standard-PC (32/64 bit - Windows Vista, 7, 8)
- 3D graphics adapter
- One available USB port
- Recommended: Dual-core processor, 2 GHz, 4 GB RAM, NVIDIA or AMD graphics processor

### Contents of package

- TT-1 Turntable with 3 level LED status display
- USB Cable
- Power Supply
- Adapters for power supply in over 150 countries

### Delivery terms

Package size	Qty	Weight
222x290x330 mm	1pc	4kg

# DSL-1

## Desk Scan Lever



### Technical specification

- Lift range: 33 cm
- Tilt: 75°
- Pivoting: 360°
- Turn: 360°
- Material: Aluminium

### Contents of package

- Lever
- Special scanner mount
- Table clamp

### Delivery terms

Package size	Qty	Weight
400x300x200 mm	1pc	4,35kg

**Part No:** 79012430  
**Order No:** DAVID-TT-1  
**EAN:** 4260129049205

**Part No:** 79012492  
**Order No:** DAVID-DSL-1  
**EAN:** 4260129049021

# DAVID

## 3D Scanning Software

For PRO 4  
UPGRADE  
you need  
PRO 3  
at least!



### DAVID 4 PRO USB

**Part No:** 79012454  
**Order No:** DAVID-4-PRO-USB  
**EAN:** 4260129049212

### DAVID 4 PRO UPGRADE

**Part No:** 79012461  
**Order No:** DAVID-4-PRO-UPGRADE  
**EAN:** 4260129049250

### DAVID 4 PRO Features

- Structured Light Scanning
- Laser Scanning
- Color texturing
- Supports various projector/camera hardware
- Automated scan alignment
- TT-1 turntable support
- Scan-background filter
- Volume/surface area computation
- 360° scan fusion
- OBJ/STL/PLY export

### System requirements

- Standard-PC (32/64 bit - Windows Vista, 7, 8)
- 3D graphics adapter
- One available USB port
- Microsoft .NET Framework 4.5 (32-bit or 64-bit)
- Recommended: Dual-core processor, 2 GHz, 4 GB RAM, NVIDIA or AMD graphics processor

### Contents of package

- USB Stick (UPGRADE only via download!)

### Delivery terms

Package size	Qty	Weight
260x162x93 mm	1pc	0,14kg

# DAVID

## 3D Scanning Software



### DAVID 4 ENTERPRISE USB

**Part No:** 79012393  
**Order No:** DAVID-4-EP-USB  
**EAN:** 4260129049199

### ENTERPRISE Features

Same as DAVID 4 PRO, additionally:

- Mesh comparison
- Point-to-Point measurement

### SDK Features

Same as DAVID 4 PRO, additionally:

- Automated scanning
- API: Two easy-to-use interfaces available (C++ and JSON/TCP)
- Server process must run on Windows
- Client software can be written in any programming language and runs on any operating system
- Including documentation and examples

### System requirements

- Standard-PC (32/64 bit - Windows Vista, 7, 8)
- 3D graphics adapter
- One available USB port
- Microsoft .NET Framework 4.5 (32-bit or 64-bit)
- Recommended: Dual-core processor, 2 GHz, 4 GB RAM, NVIDIA or AMD graphics processor

### Contents of package


- USB Stick

### Delivery terms

Package size	Qty	Weight
260x162x93 mm	1pc	0,19kg

# CP-SET02

## High Quality Calibration Panels



### Technical specification

- Dimensions: 420x30x13 mm
- Dimensions mounted: 420x430x220 mm
- Panel material: Glass with special surface
- Bracket material: Fibreglass

### Contents of package

- High-precision float glass calibration panels  
4 scales in 30, 60, 120 and 240 mm
- 2 high-precision 90° brackets

### Delivery terms

Package size	Qty	Weight
460x330x60 mm	1pc	2,66kg

**Part No:** 79011594  
**Order No:** CP-SET02  
**EAN:** 4260129049151

# CAM-3.1-M

## Monochrome Camera



### Technical specification

- USB CMOS Monochrome Camera with Lens
- Resolution: 1,3 Megapixles (1280x960)
- DAVID Firmware
- FPS: 25
- Size: 58x95x50 mm

### System requirements

- Standard-PC (32/64 bit - Windows XP, Vista, 7, 8)
- 3D graphics adapter
- One available USB port
- Recommended: Dual-core processor, 2 GHz, 4 GB RAM, NVIDIA or AMD graphics processor

### Contents of package

- Camera

### Delivery terms

Package size	Qty	Weight
265x128x178 mm	1pc	0,18kg

**Part No:** 79012324  
**Order No:** DAVID-CAM-3.1-M  
**EAN:** 4260129049182

# K132+

## Structured-Light Projector



### Technical specification

- Minimum projection distance: 19cm
- Maximum projection distance: 3,20m
- Brightness: 600 lumens
- Native resolution: 1280 x 800 (WXGA)
- Light source: LED with DLP® BrilliantColor™ 0.45" DarkChip™
- Contrast: 10.000 : 1
- Weight: 510g
- Lamp life: up to 30000 h
- Dimensions: 140x116x51 mm

### System requirements

- DAVID 3D SCANNER PRO 4 or ENTERPRISE/SDK
- Standard-PC (32/64 bit - Windows Vista, 7, 8)
- 3D graphics adapter
- Available VGA or HDMI port
- Recommended: Dual-core processor, 2 GHz, 4 GB RAM, NVIDIA or AMD graphics processor

### Contents of package

- ACER K132+
- AC to DC Power Adapter
- Plug adapter for over 150 countries
- Aluminium mount with tripod mount
- HDMI cable
- VGA cable
- Remote control
- Quick Start Guide
- User's Guide (CD-ROM)
- Protection Case

### Delivery terms

Package size	Qty	Weight
320x245x110 mm	1pc	2,5kg

# 3D 500

## Coating Spray



### Contents of package

- 6x 500ml Coatingspray

### Delivery terms

Package size	Qty	Weight
215x255x158 mm	1pc	2,86kg

### CAUTION!


Because of transport regulations, this item can be shipped to the following countries of the European Union only!

- Austria
- Belgium
- Czech Republic
- Denmark (ZIP 50-99)
- Great Britain (only mainland)
- Hungary
- France (only mainland)
- Italy (only mainland)
- Luxembourg
- Monaco
- Netherlands
- Portugal (only mainland)
- Spain (only mainland)

**Part No:** 79012188  
**Order No:** ACER\_K132\_PLUS  
**EAN:** 4260129049175

**Part No:** 79012621  
**Order No:** COATING-SPRAY-500  
**EAN:** 4260129049236





DAVID Vision Systems GmbH  
Rudolf-Diesel-Str. 2a  
56070 Koblenz  
Germany

[www.david-3d.com](http://www.david-3d.com)

For further questions please  
contact your local reseller.

**S.A.S 3D SPARK PVT. LTD.**

#328, THIRD MAIN ROAD,  
DOMLUR LAYOUT,  
BENGALURU - 560071, INDIA

+91-9008006149 / 9591848886  
[sales@sas3dspark.com](mailto:sales@sas3dspark.com)  
[sehgal@sas3dspark.com](mailto:sehgal@sas3dspark.com)

WE SEE 3D.

S.A.S 3D SPARK PVT. LTD.

+91-9008006149 / 9591848886

sales@sas3dspark.com

sehgal@sas3dspark.com

[www.david-3d.com](http://www.david-3d.com)



DAVID Vision Systems GmbH  
Rudolf-Diesel-Str. 2a  
56070 Koblenz · Germany